

From: Richard Fetzer/R3/USEPA/US
Sent: 8/5/2012 2:00:42 PM
To: Richard Rupert/ESC/R3/USEPA/US
CC:
Subject: Re: review

ok. thats just fine. I am working all day here at Pocono.....so I will look for it later. Have fun :)

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307

From: Richard Rupert/R3/USEPA/US
To: Richard Fetzer/R3/USEPA/US@EPA
Date: 08/05/2012 12:31 PM
Subject: Re: review

It may be late this evening. I have a lot of stuff to do around house today. I will look at it and more than likely add something.

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."
Colin Powell

From: Richard Fetzer/R3/USEPA/US
To: Richard Rupert/ESC/R3/USEPA/US
Date: 08/05/2012 10:37 AM
Subject: review

in case you want to review this. ... I took a minimalistic approach. I wanted to give you a chance to add language if you feel strongly. or give me your opinion on the scores.

I want to send this to Karen by this evening. Sorry for the short time frame. BTW...

Ex. 4 - CBI

Ex. 4 - CBI

Rich

[attachment "Dimock Residential Groundwater START PER August 2012.docx" deleted by Richard Rupert/R3/USEPA/US]

Richard M. Fetzer
Federal On-Scene Coordinator

100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307